




FRONT ELEVATION



RIGHT SIDE ELEVATION



SALEM SQUARE CORNER DETAIL



FLOOR / ROOF FRAMING PLAN

PRELIMINARY  
NOT FOR CONSTRUCTION


**CFP**  
CEDAR FOREST PRODUCTS  
P.O. BOX 145  
WEST OLIVE, MI 49460  
800-552-9495  
WWW.CEDARFORESTPRODUCTS.COM

THE FOLLOWING WILL BE THE RESPONSIBILITY OF OTHERS:  
1. ALL CONSTRUCTION SHOULD MEET STATE & LOCAL BLDG. CODE REQTS.  
2. ASSUMED SOIL BEARING CAPACITY = 1500 P.S.F. ALL FOOTINGS TO BEAR ON UNDISTURBED SOIL.  
3. CONSULT WITH A LOCAL REGISTERED STRUCTURAL ENGINEER IF SOIL BEARING CONDITIONS ARE OTHER THAN ABOVE.  
4. DESIGN, EXCAVATION AND CONSTRUCTION OF THE STRUCTURE(S) FOUNDATION MUST BE VERIFIED BY A REGISTERED STRUCTURAL ENGINEER.  
5. DETERMINE ALL DESIGN LOADS PER LOCAL CODES.


6. CONCRETE TO BE 3,000 P.S.I. COMPRESSIVE STRENGTH IN 28 DAYS.  
7. REINFORCING STEEL TO BE A.S.T.M. A-305 DEFORMED.  
8. ALL CONSTRUCTION SURVEYING AND FIELD VERIFICATION OF ALL DIMENSIONS.  
9. PROVIDE AND INSTALL ALL CONCRETE, REINFORCING STEEL, & ANCHOR BOLTS.  
10. UNLOAD ALL TRUCKS) DELIVERING C.F.P. MATERIALS.  
11. ERECTION OF THE STRUCTURE(S).

© Copyright 2018 these drawings are the intellectual property of C.F.P. CO. and shall not be copied or disclosed to any unauthorized parties in part or its entirety without our written permission, and they shall not be used for construction unless approved by a C.F.P. Representative.

OWNER INFO:	PENDLETON PARK	REVISION DATES	DRAWN BY:	DATE:
DESCRIPTION:	MODIFIED PAC5 MOD	REV:	KLY-174	1/5/20
Possible Options:	<input type="checkbox"/> 29ga METAL ROOF	<input type="checkbox"/> METAL BASE SHOES	<input type="checkbox"/> LIGHTNING PROTECTION	SHEET: 1 OF 2
	<input type="checkbox"/> STANDING SEAM ROOF	<input type="checkbox"/> STEEL COLUMNS	<input type="checkbox"/> 2 TIER ROOF	
	<input type="checkbox"/> CEDAR SHINGLES	<input type="checkbox"/> CUSTOM ROOF PITCH	<input type="checkbox"/> CUPOLA	



\*\*\* - DIMENSIONS TO SUIT LOCAL CODES  
**TIMBER WALL CROSS SECTION**  
 FINAL SIZES TBD



**L.P.B. CROSS SECTION**  
 FINAL SIZES TBD

PRELIMINARY  
 NOT FOR CONSTRUCTION

**CFP**  
 CEDAR FOREST PRODUCTS  
 P.O. BOX 145  
 WEST OLIVE, MI 49460  
 800-552-9495  
 WWW.CEDARFORESTPRODUCTS.COM

THE FOLLOWING WILL BE THE RESPONSIBILITY OF OTHERS  
 1. ALL CONSTRUCTION SHOULD MEET STATE & LOCAL BLDG. CODE REQMTS.  
 2. ASSUMED SOIL BEARING CAPACITY = 1500 P.S.F. ALL FOOTINGS TO BEAR ON UNDISTURBED SOIL.  
 3. CONSULT WITH A LOCAL REGISTERED STRUCTURAL ENGINEER IF SOIL BEARING CONDITIONS ARE OTHER THAN ABOVE.  
 4. DESIGN, EXCAVATION AND CONSTRUCTION OF THE STRUCTURE(S) FOUNDATION MUST BE VERIFIED BY A REGISTERED STRUCTURAL ENGINEER.  
 5. DETERMINE ALL DESIGN LOADS PER LOCAL CODES.  
 6. CONCRETE TO BE 3,000 P.S.I. COMPRESSIVE STRENGTH IN 28 DAYS.  
 7. REINFORCING STEEL TO BE A.S.T.M. A-305 DEFORMED.  
 8. ALL CONSTRUCTION SURVEYING AND FIELD VERIFICATION OF ALL DIMENSIONS.  
 9. PROVIDE AND INSTALL ALL CONCRETE, REINFORCING STEEL, & ANCHOR BOLTS.  
 10. UNLOAD ALL TRUCK(S) DELIVERING C.F.P. MATERIALS.  
 11. ERECTION OF THE STRUCTURE(S).

© Copyright 2018 these drawings are the intellectual property of C.F.P. CD. and shall not be copied or disclosed to any unauthorized parties in part or its entirety without our written permission, and they shall not be used for construction unless approved by a C.F.P. Representative.

OWNER INFO:	PENDLETON PARK	
DESCRIPTION:	MODIFIED PAC5 MOD	
Possible Options:	<input type="checkbox"/> 29ga METAL ROOF	<input type="checkbox"/> METAL BASE SHOES
	<input type="checkbox"/> STANDING SEAM ROOF	<input type="checkbox"/> STEEL COLUMNS
	<input type="checkbox"/> CEDAR SHINGLES	<input type="checkbox"/> CUSTOM ROOF PITCH
	<input type="checkbox"/> LIGHTNING PROTECTION	<input type="checkbox"/> 2 TIER ROOF
	<input type="checkbox"/>	<input type="checkbox"/> CUPOLA

REVISION DATES	DRAWN BY:	DATE:
REV:	KLY-174	1/5/20
REV:		
REV:		
	SHEET:	2 OF 2