



CURB CUT PERMIT FOR DRIVEWAY CONSTRUCTION
CONDITIONS FOR INSTALLATION OF DRIVEWAY CULVERT

FEE: \$200.00 - County, State, Town roads – with enclosed drainage systems

\$500.00 - Town roads ONLY – with no enclosed drainage systems

DATE: _____ APPLICATION # _____

SITE ADDRESS: _____

Contractor/Homeowner: _____ Phone: _____

Address: _____

Pipe size will be determined by the TOWN HIGHWAY for Town roads, COUNTY HIGHWAY for County roads and STATE HIGHWAY for State roads.

TO OBTAIN A PERMIT ON A COUNTY HIGHWAY PLEASE CONTACT:

NIAGARA COUNTY HIGHWAY DEPT. – 225 S. Niagara Street, Lockport, NY 14094 – 716 439-7362

TO OBTAIN A PERMIT ON A STATE HIGHWAY PLEASE CONTACT:

NYSOT – 500 West Ave., Lockport, NY 14094 – 716 438-2396

CALL PENDLETON PUBLIC WORKS WHEN READY FOR FIRST AND FINAL APPROVALS – 716 625-8033

FIRST APPROVAL

1. The above application is hereby approved for:

BUILDING PERMIT ISSUANCE Date: _____

SIGNED: _____ PENDLETON HIGHWAY DEPT./BUILDING DEPT.

SECOND APPROVAL

2. The above application is hereby approved for:

CERTIFICATE OF OCCUPANCY Date: _____

SIGNED: _____ PENDLETON HIGHWAY DEPT.

FINAL APPROVAL DATE: _____

SIGNED: _____ HIGHWAY SUPERINTENDENT

1. This permit shall be obtained before pipe is installed or driveway has begun
2. Minimum pipe size will be 12" DIAMETER and 40' WIDTH
3. If determined to be necessary by the Town, drop inlets, field inlets, and openings between pipe may be required every 100' or less.
4. No permanent concrete structures will be placed on the highway right-of-way, such as headways, curbs, or driveway aprons above grade of pavement.
5. Driveway approach grade will be the same grade as the highway shoulder so as not to allow drainage off driveway onto the highway. And that driveway stone shall be at least six inches of no smaller than #3 stone for the base. NO RUN OF CRUSHER STONE IN THE FIRST SIX INCHES OF BASE, only crusher run on top of first six inches of stone and installed from the road to the location of the intended site work.